### World IPv6 Day Recap

Jason Fesler < jfesler@yahoo-inc.com>
Sr Principal Architect, Operations

2 Sep 2011





### **Agenda**

- Motivations and Concerns for IPv6
- World IPv6 Day
  - , Implementation
  - Customer Outreach
  - Pre-event trials
  - Event Day Stats
- What's next?
- Questions



#### **Motivation for IPv6**

Why not just rely on Carrier Grade NAT (CGN)?




## If IPv4 addresses were Motor Cycles ...





### Running out of space



- Wildly successful
- Few free spots left
- Need to support more people



#### Is NAT an alternative?




- Geolocation becomes less precise with carriergrade NAT
- Abuse prevention is also more difficult because blocking an IP causes collateral damage.
- We have concerns about performance (TCP port exhaustion; CPU exhaustion) of NAT devices.



## **Connections via IPv4 today**


- Most customers connect directly to Yahoo
- No ISP proxy, no ISP NAT






#### **IP to Location: Great!**

We can often tell what city a user is by their IP address






#### **Examples of Location in our products...**





#### Future of IP Location with IPv4 NAT


- Carrier Grade NAT or Large Scale NAT (CGN, LSN)
- Several customers share one public IP address
  - one ISP tells us they will **start** at 1000 private IPv4 addresses per 1 public!





#### **NAT IP to Location: Best Case**


Some access providers will aggregate around metropolitan areas






#### **NAT IP to Location: Worst Case**

Some ISPs will not aggregate at all. No more IP based location.



## **Handling Abuse Today**


- If needed, we can block an IP address to block abuse.
- This will block just one house or one business.





#### **Future of Abuse with IPv4 NAT**

- If we must block one NAT IP, we will block 100's or 1000's of users
- Heavy collateral damage, especially if we have to block several NATs





## The IPv4 Well is Dry





- IPv4 NAT will happen.
- We must prepare for coping with IPv4 NAT.
- We must promote IPv6!



## The Answer? Skip the NAT!

IPv6 enabled users have a chance to bypass the NAT








## World IPv6 Day – June 8th 2011

- Global event coordinated by the Internet Society
- Major content providers enable IPv6 access on their "front door" for 24 hours
  - Sites accessible via IPv4 + IPv6
- "Test flight" for IPv6 on a broad basis
  - Motivate industry to move forward Break the chicken/egg cycle
  - Real world smoke test what you can't do in a Lab
  - > Test included real end users











## Traffic flows – World IPv6 Day 2011

- HTML: Served "Dual Stack"; IPv6 via Traffic Server
  - CSS and Images are not part our test
  - This is about enabling IPv6; not disabling IPv4.










#### **Timeouts until IPv4 fallback**



- Windows:21 seconds per AAAA
- Linux:21 seconds per AAAA
- OS X:75 seconds per AAAA
- iPhone, iPad:No fallback




#### **Customer Outreach**



- Real time detection of "Broken" Users, with a "Window Shade"
- Search results advertising based on keywords
- Traditional PR
- Social channels, blogs




## **Help Page – with IPv6 test**






## **Trial Runs**





## Test Run #1: 5/31/11, 10:00 PM PDT




Root cause: Problematic health checks from our DNS infrastructure to the serving layer.



## Monitoring isn't the same in a dual-stack environment.



## Test Run #2: 6/2/11, 2:00 PM PDT



Root cause: People leaving the office, 5pm Eastern USA time.




# Don't start something big and risky at a traffic inflection point.



#### **UK: What we saw on June 8**

intl breakdown for uk




June 7 Pacific (Local)



#### **UK: What RIPE saw on June 8**

Ping (RTT) measurements in the last 48 hours, from 'tt120' to Yahoo as of 2011-06-08 06:20:43 UTC, target: primary site





# Always have more than one way to look at things.




# Practice makes perfect. For a major change, schedule one or more test runs.



## **World IPv6 Day Stats**







### Few support calls


- About 10 calls to Yahoo! Support
- Some ISPs reported no calls
- Some ISPs reported "A few" calls



Photo by Seattle Municipal Archives via Flickr http://creativecommons.org/licenses/by/2.0/deed.en


### Per-hour Breakdown (IPv6 pageviews)







### Per-hour Region Breakdown




Note: Excludes Y!JP, Y!CN



## **IPv6 Users by Country**

Top 10 countries by IPv6 traffic



Note: Excludes Y!JP, Y!CN





# **Industry changes**
















#### Percentage of IPv6-reachable Participants



http://gigondas.dh.bytemark.co.uk/3days.html



## Even the politicians are paying attention.





Photo by USG via Wikimedia Commons http://tinyurl.com/3whv8jl Public Domain Photo by Mgimelfarb via Wikimedia Commons
http://en.wikipedia.org/wiki/File:Parliament\_at\_Sunset.JPG
Public Domain



### What's next?

- Informal discussions under way
- Should be bigger
- Should be longer
- Access providers more prominent
- Content providers with more content
- More global participation

#### For Yahoo!

- More locations, closer connectivity
- More Yahoo! Sites
- All page assets, not just HTML



## Thank you, Internet Society

- For the tireless evangelism of IPv6
- For bringing everybody together
- For acting as an umbrella for competitors to work under
- For being excellent hosts

And most of all:

Thank you for helping give our industry a date.



8/27/11

### **Questions?**

Jason Fesler <jfesler@yahoo-inc.com>



# **Appendix**



### **Example Causes of Broken Users**

- Rogue router RA's
- Routers with Private IPv6 (ULA, RFC4193) announcing default IPv6 gateway. Example: Fritz AVM (ie: fc00::/7)
- Routers with bogons configured (ie, 2001:db8::/32)
- Windows Internet Connection Sharing (ICS) announcing default IPv6 gateway, especially 6to4
- Routers advertising RA's then disappearing
- 6to4 enabled, but performing badly (ie, 2001:0::/32)
- 6to4 or 6over4 (tunnelbroker), IP proto 41 blocked by firewall
- IPv6 enabled, but customer firewall blocking IPv6
- Failed Path MTU Discovery due to filtered ICMPv6
- Walled Gardens



8/27/11

### **Walled Gardens**

- In some locations, IPv6 has been deployed a long time.
- Television, voice, and internet combined
- Customers have IPv6 default route visible to their PC
- But limited to the ISP network not the public network.
- Example: NTT Japan
  - Will send TCP RST to fail IPv6 connections faster
  - Windows will ignore this
  - Concerned about World IPV6 Day and TCP RST capacity
  - → Some Japanese ISPs are considering filtering AAAA records ⊗



8/27/11